# TOXICON

Volume 76 — 15 December 2013


## CONTENTS


| | | |
|---|---|---|
| D.R. Dietrich, S.v. Aulock, H. Marquardt, B. Blaauboer, W. Dekant, J. Kehrer, J. Hengstler, A. Collier, G.B. Gori, O. Pelkonen, F. Lang, F.P. Nijkamp, K. Stemmer, A. Li, K. Savolainen, A.W. Hayes, N. Gooderham, A. Harvey and F.A. Barile | A1 | Scientifically unfounded precaution drives European Commission's recommendations on EDC regulation, while defying common sense, well-established science and risk assessment principles |
| *Special Section: Scorpion Venom and Antivenom Edited by Leslie Boyer* | | |
| L. Boyer | 327 | Editorial: Scorpion venom and antivenom |
| V. Quintero-Hernández, J.M. Jiménez-Vargas, G.B. Gurrola, H.H. Valdivia and L.D. Possani | 328 | Scorpion venom components that affect ion-channels function |
| F.C.S. Silva, P.A. Guidine, M.F. Ribeiro, L.G. Fernandes, C.H. Xavier, R.C. de Menezes, M.E. Silva, T. Moraes-Santos, M.F. Moraes and D.A. Chianca Jr. | 343 | Malnutrition alters the cardiovascular responses induced by central injection of tityustoxin in Fischer rats |
| F. Caliskan, E. Ergene, I. Sogut, I. Hatipoglu, A. Basalp, H. Sivas and G. Kanbak | 350 | Biological assays on the effects of Acra3 peptide from Turkish scorpion *Androctonus crassicauda* venom on a mouse brain tumor cell line (BC3H1) and production of specific monoclonal antibodies |
| H. Vázquez, F. Olvera, A. Alagón and C. Sevcik | 362 | Production of anti-horse antibodies induced by IgG, $F(ab')_2$ and Fab applied repeatedly to rabbits. Effect on antivenom pharmacokinetics |
| L. Riaño-Umbarila, T. Olamendi-Portugal, C. Morelos-Juárez, G.B. Gurrola, L.D. Possani and B. Becerril | 370 | A novel human recombinant antibody fragment capable of neutralizing Mexican scorpion toxins |
| L.V. Boyer, A.A. Theodorou, P.B. Chase, N. Osnaya, M. Berg, J. Mallie, Y. Carbajal, T. de Jesus-Hernandez, F. Olvera and A. Alagón | 377 | Effectiveness of *Centruroides* scorpion antivenom compared to historical controls |
| L. Boyer, J. Degan, A.-M. Ruha, J. Mallie, E. Mangin and A. Alagón | 386 | Safety of intravenous equine $F(ab')_2$: Insights following clinical trials involving 1534 recipients of scorpion antivenom |
| E.P. Armstrong, M. Bakall, G.H. Skrepnek and L.V. Boyer | 394 | Is scorpion antivenom cost-effective as marketed in the United States? |
| *Reviews* | | |
| G. León, M. Herrera, Á. Segura, M. Villalta, M. Vargas and J.M. Gutiérrez | 63 | Pathogenic mechanisms underlying adverse reactions induced by intravenous administration of snake antivenoms |
| T.Y.K. Chan | 255 | Ciguatera caused by consumption of humphead wrasse |


*Continued on inside back cover*


Available online at www.sciencedirect.com

ScienceDirect

For a full and complete Guide for Authors, please use: http://www.elsevier.com/locate/toxicon/

Indexed/abstracted in: *Current Cont. ASCA, Biosis Data., CAB Inter., Cam. Sci. Abstr., Chemical Abstracts Service, Curr. Cont./Life Sci., Elsevier BIOBASE/Current Awareness in Biological Sciences, EMBASE/Excerpta Medica, Curr. Cont. Thomson Scientific/BIOMED Database, PASCAL-CNRS Data., Curr. Cont. Sci. Cit. Ind., Curr. Cont. SCISEARCH Data., Ind. Med. Also covered in the abstract and citation database Scopus®. Full text available on ScienceDirect®.*

**http://www.elsevier.com/locate/toxicon/**

ELSEVIER

0041-0101(20131215)76;1-D

**ISSN 0041-0101**

76 1–398 (2013)

# TOXICON


**CONTENTS**—*Continued from outside back cover*

*Papers*


| | | |
|---|---|---|
| L.B. Campos, M.B. Pucca, Eduardo.C. Roncolato, T.B. Bertolini, J.C. Netto and J.E. Barbosa | 1 | In vitro comparison of enzymatic effects among Brazilian *Bothrops* spp. venoms |
| D. Trevisan-Silva, A.V. Bednaski, L.H. Gremski, O.M. Chaim, S.S. Veiga and A. Senff-Ribeiro | 11 | Differential metalloprotease content and activity of three *Loxosceles* spider venoms revealed using two-dimensional electrophoresis approaches |
| G.M. Gomes, G.D. Dalmolin, M.d.N. Cordeiro, M.V. Gomez, J. Ferreira and M.A. Rubin | 23 | The selective A-type $K^+$ current blocker Tx3-1 isolated from the *Phoneutria nigriventer* venom enhances memory of naïve and $A\beta_{25\text{-}35}$-treated mice |
| L.A. Cholich, M. Márquez, M. Pumarola i Batlle, E.J. Gimeno, G.P. Teibler, E.E. Rios and O.C. Acosta | 28 | Experimental intoxication of guinea pigs with *Ipomoea carnea*: Behavioural and neuropathological alterations |
| P. Zhang, R. Ray, B.R. Singh and P. Ray | 37 | Mastoparan-7 rescues botulinum toxin-A poisoned neurons in a mouse spinal cord cell culture model |
| M. Khoobdel, B. Nayeri Fasaei, T. Zahraei Salehi, M. Khosravi, M. Taheri, A. Koochakzadeh, B. Masihipour, M.H. Motedayen and S. Akbari | 44 | The production of monovalent and anti-idiotype antivenom against *Mesobuthus eupeus* (Scorpionida: Buthidae) venom in rabbits |
| K.D. Welch, B.T. Green, D.R. Gardner, C.A. Stonecipher, K.E. Panter, J.A. Pfister and D. Cook | 50 | The effect of low larkspur (*Delphinium* spp.) co-administration on the acute toxicity of death camas (*Zigadenus* spp.) in sheep |
| R. Munday, K. Thomas, R. Gibbs, C. Murphy and M.A. Quilliam | 77 | Acute toxicities of saxitoxin, neosaxitoxin, decarbamoyl saxitoxin and gonyautoxins 1&4 and 2&3 to mice by various routes of administration |
| Y. Chen, Y. Zhou, X. Wang, W. Qian and X. Han | 84 | Microcystin-LR induces autophagy and apoptosis in rat Sertoli cells *in vitro* |
| S. Sosa, M. Ardizzone, D. Beltramo, F. Vita, V. Dell'Ovo, A. Barreras, T. Yasumoto and A. Tubaro | 94 | Repeated oral co-exposure to yessotoxin and okadaic acid: A short term toxicity study in mice |
| G. Mion, S. Larréché, A. Benois, F. Petitjeans and M. Puidupin | 103 | Hemostasis dynamics during coagulopathy resulting from *Echis* envenomation |
| B.Y. Kim, K.S. Lee, F.M. Zou, H. Wan, Y.S. Choi, H.J. Yoon, H.W. Kwon, Y.H. Je and B.R. Jin | 110 | Antimicrobial activity of a honeybee (*Apis cerana*) venom Kazal-type serine protease inhibitor |
| S. Merel, M.C. Villarín, K. Chung and S. Snyder | 118 | Spatial and thematic distribution of research on cyanotoxins |
| S. Bechlars, D.A. Wüstenhagen, K. Drägert, R. Dieckmann, E. Strauch and S. Kubick | 132 | Cell-free synthesis of functional thermostable direct hemolysins of *Vibrio parahaemolyticus* |
| S.d.S. Setubal, A.S. Pontes, N.M. Nery, J.S.F. Bastos, O.B. Castro, W.L. Pires, K.D. Zaqueo, L.A. Calderon, R.G. Stábeli, A.M. Soares and J.P. Zuliani | 143 | Effect of *Bothrops bilineata* snake venom on neutrophil function |
| M. Zhou, L. Wang, Y. Wu, X. Zhu, Y. Feng, Z. Chen, Y. Li, D. Sun, Z. Ren and A. Xu | 150 | Characterizing the evolution and functions of the M-superfamily conotoxins |
| J. Chen, T. Rashid, G. Feng, L. Zhao, D. Oi and B."Bart" M. Drees | 160 | Defensive chemicals of tawny crazy ants, *Nylanderia fulva* (Hymenoptera: Formicidae) and their toxicity to red imported fire ants, *Solenopsis invicta* (Hymenoptera: Formicidae) |
| F. El Khalloufi, K. Oufdou, M. Lahrouni, M. Faghire, A. Peix, M.H. Ramírez-Bahena, V. Vasconcelos and B. Oudra | 167 | Physiological and antioxidant responses of *Medicago sativa*-rhizobia symbiosis to cyanobacterial toxins (Microcystins) exposure |
| K.-J. Persson, K. Bergström, H. Mazur-Marzec and C. Legrand | 178 | Differential tolerance to cyanobacterial exposure between geographically distinct populations of *Perca fluviatilis* |


*Continued on bm iv*

*Contents continued from inside back cover*


| | | |
|---|---|---|
| L. Bláhová, O. Adamovský, L. Kubala, L. Švihálková Šindlerová, R. Zounková and L. Bláha | 187 | The isolation and characterization of lipopolysaccharides from *Microcystis aeruginosa*, a prominent toxic water bloom forming cyanobacteria |
| T. Chijiwa, S. So, S. Hattori, A. Yoshida, N. Oda-Ueda and M. Ohno | 197 | Suppression of severe lesions, myonecrosis and hemorrhage, caused by *Protobothrops flavoviridis* venom with its serum proteins |
| J.-P. Chippaux, Z. Saz-Parkinson and J.M. Amate Blanco | 206 | Epidemiology of snakebite in Europe: Comparison of data from the literature and case reporting |
| S.D. Hellyer, A.I. Selwood, L. Rhodes and D.S. Kerr | 214 | Neuromuscular blocking activity of pinnatoxins E, F and G |
| E. Kaya, I. Yilmaz, Z.A. Sinirlioglu, S. Karahan, R. Bayram, K.O. Yaykasli, S. Colakoglu, A. Saritas and Z. Severoglu | 225 | Amanitin and phallotoxin concentration in *Amanita phalloides var. alba* mushroom |
| X. Xia, Y. Ma, S. Xue, A. Wang, J. Tao, Y. Zhao, Q. Zhang, R. Liu and S. Lu | 234 | Cloning and molecular characterization of BumaMPs1, a novel metalloproteinases from the venom of scorpion *Buthus martensi* Karsch |
| L.F. Kimura, J.P. Prezotto-Neto, B.C.L.F. Távora, M.M. Antoniazzi, I. Knysak, S.P. Gióia Guizze, M.L. Santoro and K.C. Barbaro | 239 | Local inflammatory reaction induced by *Scolopendra viridicornis* centipede venom in mice |
| T.Z. Davis, B.T. Green, B.L. Stegelmeier, S.T. Lee, K.D. Welch and J.A. Pfister | 247 | Physiological and serum biochemical changes associated with rayless goldenrod (*Isocoma pluriflora*) poisoning in goats |
| M. Gajęcka, Ł. Zielonka, M. Dąbrowski, M. Mróz and M. Gajęcki | 260 | The effect of low doses of zearalenone and its metabolites on progesterone and 17β-estradiol concentrations in peripheral blood and body weights of pre-pubertal female Beagle dogs |
| R.A. Otvos, F. Heus, F.J. Vonk, J. Halff, B. Bruyneel, I. Paliukhovich, A.B. Smit, W.M.A. Niessen and J. Kool | 270 | Analytical workflow for rapid screening and purification of bioactives from venom proteomes |
| L.M. Fernandes de Oliveira, A. Ullah, R. Masood, A. Zelanis, P.J. Spencer, S.M.T. Serrano and R.K. Arni | 282 | Rapid purification of serine proteinases from *Bothrops alternatus* and *Bothrops moojeni* venoms |
| D. Saikia, S. Majumdar and A.K. Mukherjee | 291 | Mechanism of *in vivo* anticoagulant and haemolytic activity by a neutral phospholipase $A_2$ purified from *Daboia russelii russelii* venom: Correlation with clinical manifestations in Russell's Viper envenomed patients |
| S. Estrada-Gomez, L.J. Vargas Muñoz and J.C. Quintana Castillo | 301 | Extraction and partial characterization of venom from the Colombian spider *Pamphobeteus aff. nigricolor* (Aranae:Theraphosidae) |
| P. Pereira and J.E. Seymour | 310 | *In vitro* effects on human heart and skeletal cells of the venom from two cubozoans, *Chironex fleckeri* and *Carukia barnesi* |
| M.A. Al-Sammak, K.D. Hoagland, D.D. Snow and D. Cassada | 316 | Methods for simultaneous detection of the cyanotoxins BMAA, DABA, and anatoxin-*a* in environmental samples |
| *Short Communications* | | |
| R.A. Kopper, G.R. Harper, S. Zimmerman and J. Hook | 59 | Comparison of total protein and phospholipase $A_2$ levels in individual coralsnake venoms |
| P. Riobó, B. Reguera, J.M. Franco and F. Rodríguez | 221 | First report of the toxin profile of *Dinophysis sacculus* Stein from LC–MS analysis of laboratory cultures |